## **International Chemical Safety Cards**

ICSC: 0247

National Institute for Occupational Safety and Health							
(S)-alpha-Cyano-3-phenoxybenzyl (1R)-cis-3-(2,2-dibromovinyl)-2,2-							
dimethylcyclopropanecarboxylate							
C <sub>22</sub> H <sub>19</sub> Br <sub>2</sub> NO <sub>3</sub> Molecular mass: 505.2							
ICSC # 0247 CAS # 52918- RTECS # <u>GZ123</u> UN # 3349 EC # 607-3 March 13, 2001	3 <u>3000</u> 19-00-X	WICK					
TYPES OF HAZARD/ EXPOSURE	ACUTE HAZ SYMPTO		PREVENTION		FIRST AID/ FIRE FIGHTING		
FIRE	Combustible. Liquid t containing organic so be flammable. Gives or toxic fumes (or gas	lvents may off irritating	NO open flames.		Powder, AFFF, foam, carbon dioxide.		
EXPLOSION					In case of fire: keep drums, etc., cool by spraying with water.		
EXPOSURE			PREVENT DISPERSION OF DUST!				
•INHALATION			Ventilation (not if powder), local exhaust, or breathing protection.		Fresh air, rest. Refer for medical attention.		
•SKIN	Redness. Burning sensation. Numbness. Tingling. Itching.		Protective gloves. Protective clothing.		Remove contaminated clothes. Rinse and then wash skin with water and soap.		
•EYES	Redness. Pain.		Face shield.		First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then take to a doctor.		
•INGESTION	Abdominal pain. Con Vomiting Unconsciou (Further see Inhalatio	sness.	Do not eat, drink, or smoke during work. Wash hands before eating.		Rinse mouth. Induce vomiting (ONLY IN CONSCIOUS PERSONS!). Refer for medical attention.		
SPILLAGE	DISPOSAL		STORAGE	PAC	CKAGING & LABELLING		
NOT let this chemical enter the extinguish			g. Separated from food and feeds T syn N syn R: 22 S: 1/ UN H		bol		
	SEE	IMPORTAN	NT INFORMATION ON BA	ACK			

## ICSC: 0247

Prepared in the context of cooperation between the International Programme on Chemical Safety & the Commission of the European Communities (C) IPCS CEC 1994. No modifications to the International version have been made except to add the OSHA PELs, NIOSH RELs and NIOSH IDLH values.

## **International Chemical Safety Cards**

## DELTAMETHRIN

**ICSC: 0247** 

I	<b>PHYSICAL STATE; APPEARANCE:</b> ODOURLESS COLOURLESS CRYSTALLINE	<b>ROUTES OF EXPOSURE:</b> The substance can be absorbed into the body by				
Μ	POWDER.	inhalation of its aerosol and by ingestion.				
Р	PHYSICAL DANGERS:	<b>INHALATION RISK:</b> Evaporation at 20°C is negligible; a harmful				
0	CHEMICAL DANGERS:	concentration of airborne particles can, however, be reached quickly on spraying.				
R	The substance decomposes on heating above 300°C, producing toxic fumes including hydrogen					
Т	cyanide hydrogen bromide	The substance is irritating to the eyes the skin and the respiratory tract The substance may cause				
А	OCCUPATIONAL EXPOSURE LIMITS: TLV not established.	effects on the nervous system, resulting in facial sensation such as tingling, itching or burning.				
Ν		Exposure by ingestion may result in death.				
Т		EFFECTS OF LONG-TERM OR REPEATED EXPOSURE:				
D						
А						
Т						
Α						
PHYSICAL PROPERTIES	Melting point: 98-101°C Relative density (water = 1): 0.5 g/cm3 Solubility in water: none	Vapour pressure, Pa at 20°C: <10 Octanol/water partition coefficient as log Pow: 5.43				
ENVIRONMENTA DATA	The substance is very toxic to aquatic organisms. A circumstances different to normal use.	Avoid release to the environment in				
N O T E S						
Carrier solvents used in commercial formulations may change physical and toxicological properties. Decis, K-Othrin, Butox are trade names. Also consult publication Health and Safety Guide No. 30 Deltamethrin, and Environmental Health Criteria No. 97 Deltamethrin, of IPCS.						
Transport Emergency Card: TEC (R)-61GT7-II						
ADDITIONAL INFORMATION						
ICSC: 0247 DELTAMETHRIN (C) IPCS, CEC, 1994						
IMPORTANT LEGAL NOTICE:	Neither NIOSH, the CEC or the IPCS nor any person acting on behalf of NIOSH, the CEC or the IPCS is responsible for the use which might be made of this information. This card contains the collective views of the IPCS Peer Review Committee and may not reflect in all cases all the detailed requirements included in national legislation on the subject. The user should verify compliance of the cards with the relevant legislation in the country of use. The only modifications made to produce the U.S. version is					

inclusion of the OSHA PELs, NIOSH RELs and NIOSH IDLH values.